

CraftSmart FiberFirst Pedestals

Ordering Guide




Developed for the Technician

Clearfield's CraftSmart FiberFirst line of pedestals has been meticulously designed with craft-friendly features to make installs as easy as possible. From the ground up, features such as the snap-on lid securing feature and the integrated Universal Backplane, installers will find that this line of pedestals will not only fit any deployment scenario but will also make life easier when they arrive on site.





Universal Mounting Features

Standardize on one pedestal line crafted to fit any deployment scenario with its intuitive rail mounting design and Universal Mounting Backplane.




Rugged, Craft-Friendly Design

Simple, effective direct splice and connectorized drop options to support integrated, all-in-one solutions with Clearfield CSC Splice Trays and Terminals.



FiberFirst Pedestals Overview



1


FiberFirst Pedestals

6-inch, 8-inch, 10-inch and 12-inch pedestals offered as empty, with the universal mounting backplane (8-inch and 10-inch), or integrated solutions for Clearfield Terminals (6-inch and 12-inch).

Mounting Kits & Accessories

FiberFirst pedestals offered with accessory kits to support a variety of different deployment options including direct splice or pre-terminated plug-and-play.


2



3

Clearfield Terminals & Splice Trays

Different sizes of FiberFirst pedestals offer compatibility with different Clearfield Splice Trays and Terminals to support any application.



CraftSmart FiberFirst 6-Inch Pedestal

The CraftSmart® FiberFirst 6-Inch Pedestal provides a secure, above-ground access point for fiber-to-the-home (FTTH) networks. The internal components of the pedestal are optimized for fiber-only deployments and offer configuration flexibility to suit the needs of the network. The compact design is ideal for housing several Clearfield® products.

Features and Benefits

Rugged Design

- Constructed of durable, UV resistant material for maximum security and service life
- Separate, direct-bury base and removable cover, all made with a high impact resistant thermoplastic material
- Designed to meet and exceed GR-13
- Interlocking cover provides protection from the elements secured with standard telco security screw (216)
- Integrated metal frame provides multiple mounting options for a wide variety of applications

Dimensions

- 30" Ped - 5.9" Diameter x 31"H
- 20" Ped - 5.9" Diameter x 21" H
- 10lbs. Product Weight

Deployment Details

- Direct Bury and Stake Mount applications
- Ground Stake location molded into base for Customer supplied ground stake

Supports:

- SeeChange Terminal
- TetherSmart Multi-Fiber Terminal
- Ready Connect Terminal



Configured Part Numbers


Part Number	Description
CFP-0620-EMPTY-BACK	20 Inch Tall, 6 Inch Diameter Fiber Pedestal with Installed Backplane for Slack Storage for Mounting RCT Box
CFP-0620-EMPTY-SUB	20 Inch Tall, 6 Inch Diameter Fiber Pedestal
CFP-0630-EMPTY-BACK	30 Inch Tall, 6 Inch Diameter Pedestal with Installed Backplane for Slack Storage for Mounting RCT Box
CFP-0630-EMPTY-SUB	30 Inch Tall, 6 Inch Diameter Fiber Pedestal
CFP-0630-MFT-BKT-SC	30" Tall, 6" Diameter Pedestal with Installed SC/MPO Tether Bracket, Includes 8 SCAPC Adapters and 2 MPO Adapters
CFP-0630-SPLICEBOX-8-KIT	Pedestal, 30 Inch, 6 Inch Diameter Pedestal with Installed Backplane and Empty 8 POS RCT Box, Includes ClearPass Dust Caps
CFP-0630-SPLICEBOX-10-KIT	Pedestal, 30 Inch, 6 Inch Diameter Pedestal with Installed Backplane and Empty 10 POS RCT Box

*See Accessories on page 9 for ordering details to support other Clearfield Products

*Configured options also available for integrated 6" FiberFirst Pedestals

CraftSmart FiberFirst 8-Inch Pedestal

The CraftSmart® FiberFirst 8-Inch Pedestal is a BABA compliant, secure, above-ground access point for any type of fiber network. The universal design features of the pedestal are optimized for any fiber-only deployments and standard part numbers and kits are offered for flexibility to support a “one-size-fits-all” approach. The craft-friendly design is ideal for housing several Clearfield® products and the Universal Mounting Backplane is designed to support nearly any product available in the market.



Features and Benefits

Rugged Design

- Constructed of durable, UV resistant material for maximum security and service life
- Split-base and removable cover are all made with a high impact resistant thermoplastic material
- Designed to meet and exceed GR-13
- Intuitive dome securing feature along with an industry standard telco security screw (216)
- Integrated heavy duty mounting rails provide flexibility to mount virtually any product required

Dimensions

- 30” Ped – 11.1” Outer Diameter x 31”H Buried (43” total height)
- 25lbs. Product Weight

Deployment Details

- Direct Bury and Stake Mount applications
- Ground Stake location molded into base for Customer supplied ground stake

Supports:

- SeeChange Terminal
- TetherSmart Multi-Fiber Terminal
- Ready Connect Terminal
- CSC Splice Trays

Splice and Fiber Capacity

- Up to (4) CSC Splice Trays
- Up to 10ft. of 144 fiber count loose tube or up to 8 ft. of 192 fiber count loose tube
- Up to 10 ft. of 288 fiber count ribbon

Configured Part Numbers

Part Number	Description
CFP-0830-EMPTY-BACK	FiberFirst 30 inch tall, 8 inch diameter pedestal with installed universal backplane for slack storage for universal mounting
CFP-0830-EMPTY-SUB	FiberFirst 30 inch tall, 8 inch diameter pedestal empty with mounting rails

*See Accessories on page 9 for ordering details to support other Clearfield Products

CraftSmart FiberFirst 10-Inch Pedestal

The CraftSmart FiberFirst 10-Inch Pedestal is a BABA compliant, secure, above-ground access point for any type of fiber network. The universal design features of the pedestal are optimized for any fiber-only deployments and standard part numbers and kits are offered for flexibility to support a “one-size-fits-all” approach. The craft-friendly design is ideal for housing several Clearfield products and the Universal Mounting Backplane is designed to support nearly any product available in the market.

Features and Benefits

Rugged Design

- Constructed of durable, UV resistant material for maximum security and service life
- Split-base and removable cover are all made with a high impact resistant thermoplastic material
- Designed to meet and exceed GR-13
- Intuitive dome securing feature along with an industry standard telco security screw (216)
- Integrated heavy duty mounting rails provide flexibility to mount virtually any product required

Dimensions

- 30” Ped – 13.1” Outer Diameter x 31”H Buried (43.” total height)
- 33lbs Product Weight

Deployment Details


- Direct Bury and Stake Mount applications
- Ground Stake location molded into base for Customer supplied ground stake

Supports:

- YOURx Terminal
- YOURx Multi-Purpose Terminal
- Ready Connect Terminal
- CSC Splice Trays

Splice and Fiber Capacity

- Up to (6) CSC Splice Trays
- Up to 10ft of 288 fiber count loose tube
- Up to 10ft of 576 fiber count ribbon



Configured Part Numbers

Part Number	Description
CFP-1030-EMPTY-BACK	FiberFirst 30 inch tall, 10 inch diameter pedestal with installed universal back-plane for slack storage for universal mounting
CFP-1030-EMPTY-SUB	FiberFirst 30 inch tall, 10 inch diameter pedestal empty with mounting rails

*See Accessories on page 9 for ordering details to support other Clearfield Products

CraftSmart FiberFirst 12-Inch Pedestal

The CraftSmart FiberFirst Pedestal provides a secure, above-ground access point for fiber-to-the-home networks. Its fiber-optimized internal components offer flexibility to suit network needs, while the unique “open canvas” design provides mounting options for a wide range of Clearfield products, supporting PON and splice-only applications along with YOURx® and MPT access terminals. Two lid configurations are available, including a unique two-piece interlocking cover designed to be free-breathing to minimize condensation and allow internal moisture to dissipate, and a domed cover with mounting hoop that provides rigid support for PON applications.

Features and Benefits

Rugged Design

- Constructed of durable, UV resistant material for maximum security and service life
- Split-base and removable covers are all made with a high impact resistant thermoplastic material
- Designed to meet and exceed GR-13
- Matrixed backplane in split-lid to support any deployment option
- Uses (2) industry standard telco security screw (216)

Dimensions

- Cover: 14"W x 12"D x 30"H; Base: 16 ¾"W x 16 ½"D x 11"H

Deployment Details

- Direct Bury and Vault Mount applications
- Ground Stake location molded into base for Customer supplied ground stake

Supports:

- YOURx-Terminal
- YOURx Multi-Purpose Terminal
- Up to (12) Universal Splice Trays (144 Max with ribbon fiber)
- PON Insert – up to 144 ports in Clearview Cassettes with splitter support



Configured Part Numbers

J - - - - - Z Z XXXM or XXXF

1 2 3 4 5 6 7 8

1 Select Pedestal Type

A = Splice Only
B = Patch Only
C = Patch and Splice (In-cassette Splicing)

2 Select Ped Style

A = CraftSmart Pedestal 12 x 12 x 30 - 2 Pc.
D = CraftSmart Pedestal 12" Dome
Z = None

3 Select Feeder

A = 12 Ports (1 Cassette)
Z = 0 Feeders

4 Select # of Distribution Splices or Distribution Port Count

012 = 12	084 = 84
024 = 24	096 = 96
036 = 36	108 = 108
048 = 48	120 = 120
060 = 60	132 = 132
072 = 72	144 = 144

5 Select Connector

A = SC/UPC	H = LC/APC DX
C = SC/APC	Z = N/A
F = LC/UPC DX	

6 Select Mode / Type

1 = Singlemode – Non-ribbon
2 = Singlemode – Ribbon
Z = None

7 Select Cable Construction

B = OSP Riser
E = OSP Non-Rated
F = 900µm TB (FieldSmart Patch and Splice)
H = OSP Armored Riser Gel Filled
M = OSP Armored (Non-rated) Gel Filled
Z = N/A

8 Select PON Insert

A = 96-Port PON Insert
B = 144 PON Insert
Z = None

XXXM or XXXF

XXXM = Length of Pigtail in Meters
XXXF = Length of Pigtail in Feet


CraftSmart FiberFirst 12-Inch Pedestal Continued

Configured Part Numbers


Part Number	Description
CFP-121230	<i>Pedestal, CraftSmart FiberFirst, Empty (PON Option)</i>
CFP-121230D	<i>Pedestal, CraftSmart FiberFirst, 12" Full Dome Empty</i>
CFP-121230-MPT	<i>Kit, FiberFirst Pedestal, 12 x 12 x 30" Telco Green with MPT Bracket and Hardware</i>
CFP-121230-RIBBON	<i>FiberFirst Pedestal, 12 x 12 x 30" Telco Green with 1 Ribbon Splice Tray, Bracket and Hardware</i>
CFP-121230-SEECHANGE	<i>Kit, FiberFirst Pedestal, 12 x 12 x 30" Telco Green with SeeChange/YOURx Top Mount Bracket and Hardware</i>
CFP-121230-YOURX	<i>Kit, FiberFirst Pedestal, 12 x 12 x 30" Telco Green with YOURx Bottom Mount Bracket and Hardware (Splice Option)</i>

**See Accessories on page 9 for ordering details to support other Clearfield Products*

Accessory Kits



10" Backplane



10" Backplane and Tray Bracket



12" Pedestal with MPT



12" Pedestal with SeeChange



12" Pedestal with YOURx-Terminal


Accessory Kits




8" Pedestal with
SeeChange Terminal



8" Pedestal with
TetherSmart Terminal



10" Pedestal with Multi-
Purpose Terminal



10" Pedestal with
YOURx-Terminal

Configured Part Numbers

Part Number	Description
CFP-4SPLICE-TRAY-KIT	4 Position Splice Tray Mounting Kit (8" Pedestal)
CFP-6SPLICE-TRAY-KIT	6 Position Splice Tray Mounting Kit (10" Pedestal)
CFP-MFT-KIT	TetherSmart MFT Mounting Kit for HFOC Connectors in 8 and 10 inch Pedestals
CFP-MPT-KIT	MPT Terminal Mounting Kit for 10 Inch Pedestal
CFP-SEECCHANGE-YOURX-KIT	SeeChange (8 and 10") and YOURx (10") Mounting Kit Pedestal
MPT-PED-KIT-CFP-US	Kit, Cable Management for MPT Terminal in 12" FiberFirst Pedestal, Include Bracket and Radius Rods
018123	Kit, Top Mount Bracket, YOURx-Terminal, for 12" FiberFirst Pedestal
018249	Kit, Bottom Mount Bracket, YOURx-Terminal, for Pole, Wall or 12" Pedestal
023056	Kit, Splice Tray Kit for 12" FiberFirst Pedestal, Includes 1 Splice Tray Bracket, 1 Sacrificial Splice Tray, 2 D-Spool Radius Rods for Cable Management, Mounting Hardware

Compatible Clearfield Terminals

6"
& 8"



TetherSmart Multi-Fiber Terminal (MFT)



StreetSmart Ready Connect Terminal (RCT)



SeeChange Terminal

10"
& 12"



YOURx-Terminal



YOURx MPT Terminal

Configured Part Numbers

Part Number	Description
TCZ-5C12-CC4-5C08	TetherSmart, Multi-Fiber Terminal, 12F MPO Male In, 4X SC/APC Drops, 8F Shifted MPO Male Express, 6 Ports
RCT-00Z-ZZZ-ZZZ	Ready Connect Terminal, empty, includes splice chip, No fibers, No adapters, 100% splice
SCT-M5-04C-085	SeeChange Terminal with (1) 12F SeeChange MPO input port, 4 SeeChange SC/APC drop ports, (1) 12F SeeChange MPO express output port
FSTX-16C-CZZ-3ZZ	YOURx Terminal with Dual 1X8 Planar Splitter Assembly, Input and Output SC/APC Connectors, 16 SC/APC Distribution Ports
MPT-08C-Z8020T-5ZS	MPT with 8 SC/APC Drop Ports, Underterminated Input and Express, 80/20 TAP Ratio with Optional Test Port

* For custom Terminal solutions please contact Clearfield sales team.
* RCT fits in 6 inch, 8-inch and 10-inch FiberFirst Pedestals
* SeeChange fits in all pedestal sizes

Pedestal and Terminal Mounting Kits

Equipment Supported	6" FiberFirst Pedestal	8" FiberFirst Pedestal	10" FiberFirst Pedestal	12" FiberFirst Pedestal ⁴
TetherSmart Multi-Fiber Terminal	CFP-0630-MFT-BKT-SC OR CFP-0630-MFT-BKT-HFOC	CFP-MFT-KIT	CFP-MFT-KIT	✗
SeeChange® Terminal	CFP-0630-SEECHANGE BRACKET KIT	CFP-SEECHANGE-YOURX-KIT	CFP-SEECHANGE-YOURX-KIT	CFP-121230-SEECHANGE
StreetSmart® Ready Connect Terminal	CFP-0630-EMPTY-BACK ¹	CFP-0830-EMPTY-BACK ²	CFP-1030-EMPTY-BACK ²	✗
CSC Splice Trays	✗	CFP-4SPLICETRAY-KIT	CFP-6SPLICETRAY-KIT	✗
Universal Mounting Backplane	✗	CFP-0830-EMPTY-BACK ³	CFP-1030-EMPTY-BACK ³	✗
YOURx®-Terminal	✗	✗	CFP-SEECHANGE-YOURX-KIT	CFP-121230-YOURX
YOURx® Multi-Purpose Terminal	✗	✗	CFP-MPT-KIT	CFP-121230-MPT
12 Core Optical Fiber Splice Tray	✗	✗	✗	004834 ⁵
Ribbon Fiber Splice Tray	✗	✗	✗	023322 ⁵
FieldSmart® FDP 144 Port PON Insert	✗	✗	✗	See Configured Part Numbers – 12-inch

¹ Part number is for pedestal that includes integrated RCT Mounting Backplane with support for rear slack storage

² Part numbers listed are for pedestals that include the Universal Mounting Backplane which support the RCT without an additional bracket

³ Part numbers listed are for pedestals which include the Universal Mounting Backplane (Integrated Only)

⁴ Part numbers listed include pedestal and required mounting kit for terminal

⁵ Part numbers listed are for the trays only and do not include the Pedestal or bracket kit to mount them

Clearfield Fiber Protection Vault (FPV) - 12-Inch Pedestals



Configured Part Numbers

Part Number	Description
VC7B-CZP	<i>Vault, Below Grade Clearfield, Split HDPE Lid, with Cut Out for FieldSmart Cabinets, Flared Wall, with Bolt Kit</i>
022986	<i>Vault, ½ Solid Lid</i>
022987	<i>Vault, ½ Lid with Cut Out for Clearfield Cabinets and Pedestals</i>



CLEARFIELD

Learn more at www.SeeClearfield.com

P: 800.422.2537

September 2026

Clearfield, Inc. designs, manufactures and distributes fiber optic connectivity and management products, helping service providers reduce the high costs associated with a fiber optic network to deliver the mobile, residential and business services customers want.